

Wir machen Qualität sichtbar Nous rendons la qualité visible Making quality visible

ryfag.ch



Product Information Version 1.1

**ZEISS Axiocam 105 color** 

Your Fast Microscope Camera with 5 Megapixels



# **Technical Specifications**

### > Technology and Details


Service

ZEISS Axiocam 105 color			
Sensor Type	CMOS	CMOS	
Basic Resolution	2560 (H) x 1920 (V) = 5.0 Megapixels	2560 (H) x 1920 (V) = 5.0 Megapixels	
Sensor Size	5.70 mm x 4.28 mm, equivalent to 1/2.5	5.70 mm x 4.28 mm, equivalent to 1/2.5" (diagonal 7.1 mm)	
Pixel Size	2.2 μm x 2.2 μm	2.2 µm x 2.2 µm	
ROI	Yes (adjustable)	Yes (adjustable)	
Digitization	3 x 8 bit/pixel	3 x 8 bit/pixel	
Read-out Mode	Progressive	Progressive	
Filter Mask	RGB Bayer color filter	RGB Bayer color filter	
Spectral Sensitivity	Approx. 400 nm – 650 nm, IR filter	Approx. 400 nm – 650 nm, IR filter	
Exposure Time	100 μs – 2 s	100 μs – 2 s	
Optical Interface	C-mount	C-mount	
Interface (Camera)	USB 3.0 Micro-B	USB 3.0 Micro-B	
Interface (PC/Board)	USB 3.0 Standard A	USB 3.0 Standard A	
Power Supply	Via USB 3.0 interface	Via USB 3.0 interface	
Power Consumption	1.7 W (5 V, 0.34 A)	1.7 W (5 V, 0.34 A)	
Housing (WxDxH)	29 x 29 x 47.6 mm	29 x 29 x 47.6 mm	
Conformity	CE, FCC Class B, RoHS	CE, FCC Class B, RoHS	
Included in Delivery	1x Axiocam 105 color		
	1x USB 3.0 PCle x1 interface card/4x USB 3.0 (single bus)		
	1x USB 3.0 cable		
	1x SATA power connector cable		
	1x Molex power connector cable		
Live Frame Rate (Depending on Hardware an	d Software Configuration)		
H x V	Binning Factor	Frame Rate@1ms	
2560 x 1920	1x1	15	
1280 x 960	2x2	37	
640 x 480	4x4	47	
Ambient Conditions	0° +50° Celsius, max. 80% relative air	0° +50° Celsius, max. 80% relative air humidity, no condensation, free air circulation required	
Operating System	Microsoft® Windows 7 x64 Ultimate SP1	Microsoft® Windows 7 x64 Ultimate SP1	
Software	AxioVision 4.9.1 SP1		

## **Technical Specifications**

> Technology and Details

Service



### Count on Service in the True Sense of the Word

- Technology and Details
- > Service

Because the ZEISS microscope system is one of your most important tools, we make sure it is always ready to perform. What's more, we'll see to it that you are employing all the options that get the best from your microscope. You can choose from a range of service products, each delivered by highly qualified ZEISS specialists who will support you long beyond the purchase of your system. Our aim is to enable you to experience those special moments that inspire your work.

#### Repair. Maintain. Optimize.

Attain maximum uptime with your microscope. A ZEISS Protect Service Agreement lets you budget for operating costs, all the while reducing costly downtime and achieving the best results through the improved performance of your system. Choose from service agreements designed to give you a range of options and control levels. We'll work with you to select the service program that addresses your system needs and usage requirements, in line with your organization's standard practices.

Our service on-demand also brings you distinct advantages. ZEISS service staff will analyze issues at hand and resolve it – whether using remote maintenance software or working on site.

#### **Enhance Your Microscope System.**

Your ZEISS microscope system is designed for a variety of updates: open interfaces allow you to maintain a high technological level at all times. As a result you'll work more efficiently now, while extending the productive lifetime of your microscope as new update possibilities come on stream.

Please note that our service products are always being adjusted to meet market needs and maybe be subject to change.








Profit from the optimized performance of your microscope system with services from ZEISS – now and for years to come.

>> www.zeiss.com/microservice

The moment your data change scientific minds.

## This is the moment we work for.

- Technology and Details
- Service





MICROSCOPY O METROLOGY SERVICES

